

Table of Basic Integrals

Basic Forms

$$(1) \quad \int x^n dx = \frac{1}{n+1} x^{n+1}, \quad n \neq -1$$

$$(2) \quad \int \frac{1}{x} dx = \ln |x|$$

$$(3) \quad \int u dv = uv - \int v du$$

$$(4) \quad \int \frac{1}{ax+b} dx = \frac{1}{a} \ln |ax+b|$$

Integrals of Rational Functions

$$(5) \quad \int \frac{1}{(x+a)^2} dx = -\frac{1}{x+a}$$

$$(6) \quad \int (x+a)^n dx = \frac{(x+a)^{n+1}}{n+1}, \quad n \neq -1$$

$$(7) \quad \int x(x+a)^n dx = \frac{(x+a)^{n+1}((n+1)x-a)}{(n+1)(n+2)}$$

$$(8) \quad \int \frac{1}{1+x^2} dx = \tan^{-1} x$$

$$(9) \quad \int \frac{1}{a^2+x^2} dx = \frac{1}{a} \tan^{-1} \frac{x}{a}$$

$$(10) \quad \int \frac{x}{a^2 + x^2} dx = \frac{1}{2} \ln |a^2 + x^2|$$

$$(11) \quad \int \frac{x^2}{a^2 + x^2} dx = x - a \tan^{-1} \frac{x}{a}$$

$$(12) \quad \int \frac{x^3}{a^2 + x^2} dx = \frac{1}{2}x^2 - \frac{1}{2}a^2 \ln |a^2 + x^2|$$

$$(13) \quad \int \frac{1}{ax^2 + bx + c} dx = \frac{2}{\sqrt{4ac - b^2}} \tan^{-1} \frac{2ax + b}{\sqrt{4ac - b^2}}$$

$$(14) \quad \int \frac{1}{(x+a)(x+b)} dx = \frac{1}{b-a} \ln \frac{a+x}{b+x}, \quad a \neq b$$

$$(15) \quad \int \frac{x}{(x+a)^2} dx = \frac{a}{a+x} + \ln |a+x|$$

$$(16) \quad \int \frac{x}{ax^2 + bx + c} dx = \frac{1}{2a} \ln |ax^2 + bx + c| - \frac{b}{a\sqrt{4ac - b^2}} \tan^{-1} \frac{2ax + b}{\sqrt{4ac - b^2}}$$

Integrals with Roots

$$(17) \quad \int \sqrt{x-a} dx = \frac{2}{3}(x-a)^{3/2}$$

$$(18) \quad \int \frac{1}{\sqrt{x \pm a}} dx = 2\sqrt{x \pm a}$$

$$(19) \quad \int \frac{1}{\sqrt{a-x}} dx = -2\sqrt{a-x}$$

$$(20) \quad \int x\sqrt{x-a} dx = \begin{cases} \frac{2a}{3}(x-a)^{3/2} + \frac{2}{5}(x-a)^{5/2}, & \text{or} \\ \frac{2}{3}x(x-a)^{3/2} - \frac{4}{15}(x-a)^{5/2}, & \text{or} \\ \frac{2}{15}(2a+3x)(x-a)^{3/2} \end{cases}$$

$$(21) \quad \int \sqrt{ax+b} dx = \left(\frac{2b}{3a} + \frac{2x}{3} \right) \sqrt{ax+b}$$

$$(22) \quad \int (ax+b)^{3/2} dx = \frac{2}{5a}(ax+b)^{5/2}$$

$$(23) \quad \int \frac{x}{\sqrt{x \pm a}} dx = \frac{2}{3}(x \mp 2a)\sqrt{x \pm a}$$

$$(24) \quad \int \sqrt{\frac{x}{a-x}} dx = -\sqrt{x(a-x)} - a \tan^{-1} \frac{\sqrt{x(a-x)}}{x-a}$$

$$(25) \quad \int \sqrt{\frac{x}{a+x}} dx = \sqrt{x(a+x)} - a \ln [\sqrt{x} + \sqrt{x+a}]$$

$$(26) \quad \int x\sqrt{ax+b} dx = \frac{2}{15a^2}(-2b^2 + abx + 3a^2x^2)\sqrt{ax+b}$$

$$(27) \quad \int \sqrt{x(ax+b)} dx = \frac{1}{4a^{3/2}} \left[(2ax+b)\sqrt{ax(ax+b)} - b^2 \ln |a\sqrt{x} + \sqrt{a(ax+b)}| \right]$$

$$(28) \quad \int \sqrt{x^3(ax+b)} dx = \left[\frac{b}{12a} - \frac{b^2}{8a^2x} + \frac{x}{3} \right] \sqrt{x^3(ax+b)} + \frac{b^3}{8a^{5/2}} \ln |a\sqrt{x} + \sqrt{a(ax+b)}|$$

$$(29) \quad \int \sqrt{x^2 \pm a^2} dx = \frac{1}{2}x\sqrt{x^2 \pm a^2} \pm \frac{1}{2}a^2 \ln |x + \sqrt{x^2 \pm a^2}|$$

$$(30) \quad \int \sqrt{a^2 - x^2} \, dx = \frac{1}{2}x\sqrt{a^2 - x^2} + \frac{1}{2}a^2 \tan^{-1} \frac{x}{\sqrt{a^2 - x^2}}$$

$$(31) \quad \int x\sqrt{x^2 \pm a^2} \, dx = \frac{1}{3} (x^2 \pm a^2)^{3/2}$$

$$(32) \quad \int \frac{1}{\sqrt{x^2 \pm a^2}} \, dx = \ln \left| x + \sqrt{x^2 \pm a^2} \right|$$

$$(33) \quad \int \frac{1}{\sqrt{a^2 - x^2}} \, dx = \sin^{-1} \frac{x}{a}$$

$$(34) \quad \int \frac{x}{\sqrt{x^2 \pm a^2}} \, dx = \sqrt{x^2 \pm a^2}$$

$$(35) \quad \int \frac{x}{\sqrt{a^2 - x^2}} \, dx = -\sqrt{a^2 - x^2}$$

$$(36) \quad \int \frac{x^2}{\sqrt{x^2 \pm a^2}} \, dx = \frac{1}{2}x\sqrt{x^2 \pm a^2} \mp \frac{1}{2}a^2 \ln \left| x + \sqrt{x^2 \pm a^2} \right|$$

$$(37) \quad \int \sqrt{ax^2 + bx + c} \, dx = \frac{b + 2ax}{4a} \sqrt{ax^2 + bx + c} + \frac{4ac - b^2}{8a^{3/2}} \ln \left| 2ax + b + 2\sqrt{a(ax^2 + bx + c)} \right|$$

$$(38) \quad \begin{aligned} \int x\sqrt{ax^2 + bx + c} \, dx &= \frac{1}{48a^{5/2}} \left(2\sqrt{a}\sqrt{ax^2 + bx + c} (-3b^2 + 2abx + 8a(c + ax^2)) \right. \\ &\quad \left. + 3(b^3 - 4abc) \ln \left| b + 2ax + 2\sqrt{a}\sqrt{ax^2 + bx + c} \right| \right) \end{aligned}$$

$$(39) \quad \int \frac{1}{\sqrt{ax^2 + bx + c}} dx = \frac{1}{\sqrt{a}} \ln \left| 2ax + b + 2\sqrt{a(ax^2 + bx + c)} \right|$$

$$(40) \quad \int \frac{x}{\sqrt{ax^2 + bx + c}} dx = \frac{1}{a} \sqrt{ax^2 + bx + c} - \frac{b}{2a^{3/2}} \ln \left| 2ax + b + 2\sqrt{a(ax^2 + bx + c)} \right|$$

$$(41) \quad \int \frac{dx}{(a^2 + x^2)^{3/2}} = \frac{x}{a^2 \sqrt{a^2 + x^2}}$$

Integrals with Logarithms

$$(42) \quad \int \ln ax \ dx = x \ln ax - x$$

$$(43) \quad \int x \ln x \ dx = \frac{1}{2}x^2 \ln x - \frac{x^2}{4}$$

$$(44) \quad \int x^2 \ln x \ dx = \frac{1}{3}x^3 \ln x - \frac{x^3}{9}$$

$$(45) \quad \int x^n \ln x \ dx = x^{n+1} \left(\frac{\ln x}{n+1} - \frac{1}{(n+1)^2} \right), \quad n \neq -1$$

$$(46) \quad \int \frac{\ln ax}{x} dx = \frac{1}{2} (\ln ax)^2$$

$$(47) \quad \int \frac{\ln x}{x^2} dx = -\frac{1}{x} - \frac{\ln x}{x}$$

$$(48) \quad \int \ln(ax + b) \, dx = \left(x + \frac{b}{a} \right) \ln(ax + b) - x, a \neq 0$$

$$(49) \quad \int \ln(x^2 + a^2) \, dx = x \ln(x^2 + a^2) + 2a \tan^{-1} \frac{x}{a} - 2x$$

$$(50) \quad \int \ln(x^2 - a^2) \, dx = x \ln(x^2 - a^2) + a \ln \frac{x+a}{x-a} - 2x$$

$$(51) \quad \int \ln(ax^2 + bx + c) \, dx = \frac{1}{a} \sqrt{4ac - b^2} \tan^{-1} \frac{2ax + b}{\sqrt{4ac - b^2}} - 2x + \left(\frac{b}{2a} + x \right) \ln(ax^2 + bx + c)$$

$$(52) \quad \int x \ln(ax + b) \, dx = \frac{bx}{2a} - \frac{1}{4}x^2 + \frac{1}{2} \left(x^2 - \frac{b^2}{a^2} \right) \ln(ax + b)$$

$$(53) \quad \int x \ln(a^2 - b^2 x^2) \, dx = -\frac{1}{2}x^2 + \frac{1}{2} \left(x^2 - \frac{a^2}{b^2} \right) \ln(a^2 - b^2 x^2)$$

$$(54) \quad \int (\ln x)^2 \, dx = 2x - 2x \ln x + x(\ln x)^2$$

$$(55) \quad \int (\ln x)^3 \, dx = -6x + x(\ln x)^3 - 3x(\ln x)^2 + 6x \ln x$$

$$(56) \quad \int x(\ln x)^2 \, dx = \frac{x^2}{4} + \frac{1}{2}x^2(\ln x)^2 - \frac{1}{2}x^2 \ln x$$

$$(57) \quad \int x^2(\ln x)^2 \, dx = \frac{2x^3}{27} + \frac{1}{3}x^3(\ln x)^2 - \frac{2}{9}x^3 \ln x$$

Integrals with Exponentials

$$(58) \quad \int e^{ax} dx = \frac{1}{a} e^{ax}$$

$$(59) \quad \int \sqrt{x} e^{ax} dx = \frac{1}{a} \sqrt{x} e^{ax} + \frac{i\sqrt{\pi}}{2a^{3/2}} \operatorname{erf}(i\sqrt{ax}), \text{ where } \operatorname{erf}(x) = \frac{2}{\sqrt{\pi}} \int_0^x e^{-t^2} dt$$

$$(60) \quad \int x e^x dx = (x - 1) e^x$$

$$(61) \quad \int x e^{ax} dx = \left(\frac{x}{a} - \frac{1}{a^2} \right) e^{ax}$$

$$(62) \quad \int x^2 e^x dx = (x^2 - 2x + 2) e^x$$

$$(63) \quad \int x^2 e^{ax} dx = \left(\frac{x^2}{a} - \frac{2x}{a^2} + \frac{2}{a^3} \right) e^{ax}$$

$$(64) \quad \int x^3 e^x dx = (x^3 - 3x^2 + 6x - 6) e^x$$

$$(65) \quad \int x^n e^{ax} dx = \frac{x^n e^{ax}}{a} - \frac{n}{a} \int x^{n-1} e^{ax} dx$$

$$(66) \quad \int x^n e^{ax} dx = \frac{(-1)^n}{a^{n+1}} \Gamma[1 + n, -ax], \text{ where } \Gamma(a, x) = \int_x^\infty t^{a-1} e^{-t} dt$$

$$(67) \quad \int e^{ax^2} dx = -\frac{i\sqrt{\pi}}{2\sqrt{a}} \operatorname{erf}(ix\sqrt{a})$$

$$(68) \quad \int e^{-ax^2} dx = \frac{\sqrt{\pi}}{2\sqrt{a}} \operatorname{erf}(x\sqrt{a})$$

$$(69) \quad \int xe^{-ax^2} dx = -\frac{1}{2a}e^{-ax^2}$$

$$(70) \quad \int x^2 e^{-ax^2} dx = \frac{1}{4} \sqrt{\frac{\pi}{a^3}} \operatorname{erf}(x\sqrt{a}) - \frac{x}{2a} e^{-ax^2}$$

Integrals with Trigonometric Functions

$$(71) \quad \int \sin ax dx = -\frac{1}{a} \cos ax$$

$$(72) \quad \int \sin^2 ax dx = \frac{x}{2} - \frac{\sin 2ax}{4a}$$

$$(73) \quad \int \sin^3 ax dx = -\frac{3 \cos ax}{4a} + \frac{\cos 3ax}{12a}$$

$$(74) \quad \int \sin^n ax dx = -\frac{1}{a} \cos ax {}_2F_1 \left[\frac{1}{2}, \frac{1-n}{2}, \frac{3}{2}, \cos^2 ax \right]$$

$$(75) \quad \int \cos ax dx = \frac{1}{a} \sin ax$$

$$(76) \quad \int \cos^2 ax dx = \frac{x}{2} + \frac{\sin 2ax}{4a}$$

$$(77) \quad \int \cos^3 ax dx = \frac{3 \sin ax}{4a} + \frac{\sin 3ax}{12a}$$

$$(78) \quad \int \cos^p ax dx = -\frac{1}{a(1+p)} \cos^{1+p} ax \times {}_2F_1 \left[\frac{1+p}{2}, \frac{1}{2}, \frac{3+p}{2}, \cos^2 ax \right]$$

$$(79) \quad \int \cos x \sin x \, dx = \frac{1}{2} \sin^2 x + c_1 = -\frac{1}{2} \cos^2 x + c_2 = -\frac{1}{4} \cos 2x + c_3$$

$$(80) \quad \int \cos ax \sin bx \, dx = \frac{\cos[(a-b)x]}{2(a-b)} - \frac{\cos[(a+b)x]}{2(a+b)}, a \neq b$$

$$(81) \quad \int \sin^2 ax \cos bx \, dx = -\frac{\sin[(2a-b)x]}{4(2a-b)} + \frac{\sin bx}{2b} - \frac{\sin[(2a+b)x]}{4(2a+b)}$$

$$(82) \quad \int \sin^2 x \cos x \, dx = \frac{1}{3} \sin^3 x$$

$$(83) \quad \int \cos^2 ax \sin bx \, dx = \frac{\cos[(2a-b)x]}{4(2a-b)} - \frac{\cos bx}{2b} - \frac{\cos[(2a+b)x]}{4(2a+b)}$$

$$(84) \quad \int \cos^2 ax \sin ax \, dx = -\frac{1}{3a} \cos^3 ax$$

$$(85) \quad \int \sin^2 ax \cos^2 bx dx = \frac{x}{4} - \frac{\sin 2ax}{8a} - \frac{\sin[2(a-b)x]}{16(a-b)} + \frac{\sin 2bx}{8b} - \frac{\sin[2(a+b)x]}{16(a+b)}$$

$$(86) \quad \int \sin^2 ax \cos^2 ax \, dx = \frac{x}{8} - \frac{\sin 4ax}{32a}$$

$$(87) \quad \int \tan ax \, dx = -\frac{1}{a} \ln \cos ax$$

$$(88) \quad \int \tan^2 ax \, dx = -x + \frac{1}{a} \tan ax$$

$$(89) \quad \int \tan^n ax \, dx = \frac{\tan^{n+1} ax}{a(1+n)} \times {}_2F_1\left(\frac{n+1}{2}, 1, \frac{n+3}{2}, -\tan^2 ax\right)$$

$$(90) \quad \int \tan^3 ax \, dx = \frac{1}{a} \ln \cos ax + \frac{1}{2a} \sec^2 ax$$

$$(91) \quad \int \sec x \, dx = \ln |\sec x + \tan x| = 2 \tanh^{-1} \left(\tan \frac{x}{2} \right)$$

$$(92) \quad \int \sec^2 ax \, dx = \frac{1}{a} \tan ax$$

$$(93) \quad \int \sec^3 x \, dx = \frac{1}{2} \sec x \tan x + \frac{1}{2} \ln |\sec x + \tan x|$$

$$(94) \quad \int \sec x \tan x \, dx = \sec x$$

$$(95) \quad \int \sec^2 x \tan x \, dx = \frac{1}{2} \sec^2 x$$

$$(96) \quad \int \sec^n x \tan x \, dx = \frac{1}{n} \sec^n x, n \neq 0$$

$$(97) \quad \int \csc x \, dx = \ln \left| \tan \frac{x}{2} \right| = \ln |\csc x - \cot x| + C$$

$$(98) \quad \int \csc^2 ax \, dx = -\frac{1}{a} \cot ax$$

$$(99) \quad \int \csc^3 x \, dx = -\frac{1}{2} \cot x \csc x + \frac{1}{2} \ln |\csc x - \cot x|$$

$$(100) \quad \int \csc^n x \cot x \, dx = -\frac{1}{n} \csc^n x, n \neq 0$$

$$(101) \quad \int \sec x \csc x \, dx = \ln |\tan x|$$

Products of Trigonometric Functions and Monomials

$$(102) \quad \int x \cos x \, dx = \cos x + x \sin x$$

$$(103) \quad \int x \cos ax \, dx = \frac{1}{a^2} \cos ax + \frac{x}{a} \sin ax$$

$$(104) \quad \int x^2 \cos x \, dx = 2x \cos x + (x^2 - 2) \sin x$$

$$(105) \quad \int x^2 \cos ax \, dx = \frac{2x \cos ax}{a^2} + \frac{a^2 x^2 - 2}{a^3} \sin ax$$

$$(106) \quad \int x^n \cos x \, dx = -\frac{1}{2}(i)^{n+1} [\Gamma(n+1, -ix) + (-1)^n \Gamma(n+1, ix)]$$

$$(107) \quad \int x^n \cos ax \, dx = \frac{1}{2}(ia)^{1-n} [(-1)^n \Gamma(n+1, -iax) - \Gamma(n+1, ixa)]$$

$$(108) \quad \int x \sin x \, dx = -x \cos x + \sin x$$

$$(109) \quad \int x \sin ax \, dx = -\frac{x \cos ax}{a} + \frac{\sin ax}{a^2}$$

$$(110) \quad \int x^2 \sin x \, dx = (2 - x^2) \cos x + 2x \sin x$$

$$(111) \quad \int x^2 \sin ax \, dx = \frac{2 - a^2 x^2}{a^3} \cos ax + \frac{2x \sin ax}{a^2}$$

$$(112) \quad \int x^n \sin x \, dx = -\frac{1}{2}(i)^n [\Gamma(n+1, -ix) - (-1)^n \Gamma(n+1, -ix)]$$

$$(113) \quad \int x \cos^2 x \, dx = \frac{x^2}{4} + \frac{1}{8} \cos 2x + \frac{1}{4} x \sin 2x$$

$$(114) \quad \int x \sin^2 x \, dx = \frac{x^2}{4} - \frac{1}{8} \cos 2x - \frac{1}{4} x \sin 2x$$

$$(115) \quad \int x \tan^2 x \, dx = -\frac{x^2}{2} + \ln \cos x + x \tan x$$

$$(116) \quad \int x \sec^2 x \, dx = \ln \cos x + x \tan x$$

Products of Trigonometric Functions and Exponentials

$$(117) \quad \int e^x \sin x \, dx = \frac{1}{2}e^x(\sin x - \cos x)$$

$$(118) \quad \int e^{bx} \sin ax \, dx = \frac{1}{a^2 + b^2}e^{bx}(b \sin ax - a \cos ax)$$

$$(119) \quad \int e^x \cos x \, dx = \frac{1}{2}e^x(\sin x + \cos x)$$

$$(120) \quad \int e^{bx} \cos ax \, dx = \frac{1}{a^2 + b^2}e^{bx}(a \sin ax + b \cos ax)$$

$$(121) \quad \int xe^x \sin x \, dx = \frac{1}{2}e^x(\cos x - x \cos x + x \sin x)$$

$$(122) \quad \int xe^x \cos x \, dx = \frac{1}{2}e^x(x \cos x - \sin x + x \sin x)$$

Integrals of Hyperbolic Functions

$$(123) \quad \int \cosh ax \, dx = \frac{1}{a} \sinh ax$$

$$(124) \quad \int e^{ax} \cosh bx \, dx = \begin{cases} \frac{e^{ax}}{a^2 - b^2}[a \cosh bx - b \sinh bx] & a \neq b \\ \frac{e^{2ax}}{4a} + \frac{x}{2} & a = b \end{cases}$$

$$(125) \quad \int \sinh ax \, dx = \frac{1}{a} \cosh ax$$

$$(126) \quad \int e^{ax} \sinh bx \, dx = \begin{cases} \frac{e^{ax}}{a^2 - b^2} [-b \cosh bx + a \sinh bx] & a \neq b \\ \frac{e^{2ax}}{4a} - \frac{x}{2} & a = b \end{cases}$$

$$(127) \quad \int \tanh ax \, dx = \frac{1}{a} \ln \cosh ax$$

$$(128) \quad \int e^{ax} \tanh bx \, dx = \begin{cases} \frac{e^{(a+2b)x}}{(a+2b)^2} {}_2F_1 \left[1 + \frac{a}{2b}, 1, 2 + \frac{a}{2b}, -e^{2bx} \right] \\ -\frac{1}{a} e^{ax} {}_2F_1 \left[1, \frac{a}{2b}, 1 + \frac{a}{2b}, -e^{2bx} \right] & a \neq b \\ \frac{e^{ax} - 2 \tan^{-1}[e^{ax}]}{a} & a = b \end{cases}$$

$$(129) \quad \int \cos ax \cosh bx \, dx = \frac{1}{a^2 + b^2} [a \sin ax \cosh bx + b \cos ax \sinh bx]$$

$$(130) \quad \int \cos ax \sinh bx \, dx = \frac{1}{a^2 + b^2} [b \cos ax \cosh bx + a \sin ax \sinh bx]$$

$$(131) \quad \int \sin ax \cosh bx \, dx = \frac{1}{a^2 + b^2} [-a \cos ax \cosh bx + b \sin ax \sinh bx]$$

$$(132) \quad \int \sin ax \sinh bx \, dx = \frac{1}{a^2 + b^2} [b \cosh bx \sin ax - a \cos ax \sinh bx]$$

$$(133) \quad \int \sinh ax \cosh ax \, dx = \frac{1}{4a} [-2ax + \sinh 2ax]$$

$$(134) \quad \int \sinh ax \cosh bx \, dx = \frac{1}{b^2 - a^2} [b \cosh bx \sinh ax - a \cosh ax \sinh bx]$$

© 2014. From <http://integral-table.com>, last revised June 14, 2014. This material is provided as is without warranty or representation about the accuracy, correctness or suitability of this material for any purpose. This work is licensed under the Creative Commons Attribution-Noncommercial-Share Alike 3.0 United States License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/> or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.